

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5600725".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 10:31
L2	3	"7103359".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 10:37
L3	9855	(709/227-228.ccls. or 380/33,255,277,283.ccls. or 713/150,168-171.ccls.) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 10:46
L4	1503	l3 and ((hash\$3 or authenticat \$3 or verification or verifying) adj1 (code or string or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 10:48
L5	998	l4 and (secret or private) adj2 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 10:49
L6	429	l5 and (secur\$2 or private) with (channel or path or link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 10:53
L7	264	l6 and (two or second\$3 or alternat\$3 or auxiliary or different) with (channel or path or link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:00

L8	2151	(380/33 or 713/168-169). ccls. and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:25
S1	2	"20020186846".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 11:45
S2	2	"5450493".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:52
S3	7775	(709/227-228.ccls. or 380/255,277,283.ccls. or 713/150,168,170-171.ccls.) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:14
S4	96153	(transmit\$4 or send\$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:53
S5	14575	S4 and (first or primary or open or unsecue\$1) with (channel or path or route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S6	10823	S5 and (second\$3 or auxiliary or confidential or alternat\$3 or secur\$2) with (channel or path or route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S7	1819	S6 and (compar\$3 or verify \$3 or verification) with (mac or code or hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S8	420	S7 and (two or multiple or second) with (portion or part) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:56

S9	219	S8 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:07
S10	33	S9 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:58
S11	0	S10 and ike	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:57
S12	1	S9 and ike	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:57
S13	0	S9 and ikev2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:57
S14	28	S10 and (secur\$3 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18
S15	0	S14 and (unkeyed adj hash \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:00
S16	0	S9 and (unkeyed adj hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:00
S17	45	ikev2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:07

S18	3	S17 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:09
S19	13	unkeyed adj hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:08
S20	6	S19 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18
S21	1698	713/168,170.ccls. and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:11
S22	830	S21 and (secur\$3 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:11
S23	109	S22 and (public adj key) with (verification or authenticat\$3) with (code or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18
S24	62	responder with (generat\$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18
S25	30	S24 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 10:11
S26	12	S25 and (secur\$3 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18

S27	2	"6230272".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:21
S28	2	"6173400".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:37
S29	2	"20040158715".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:37
S30	5	raw adj1 public adj1 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:11
S31	682	(send\$3 or transmit\$4) with (key or password) with (secur \$2) with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 10:10
S32	69	S31 and (send\$3 or transmit \$4) with (key or password) with (unsecur\$2 or open or nonsecur\$2 or "non-secure" or "non-secured") with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 10:11
S33	51	S32 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 17:28
S34	6	("20020087865" or "5159632" or "20040158715").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 17:28
S35	1721	713/168-169.ccls. and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57

S36	946	S35 and ((secret or private) adj1 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:28
S37	756	S36 and (send\$3 or transmit \$4) with (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:15
S38	171	S37 and ((hash\$3 or authenticat\$3 or verification or verifying) adj1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57
S39	174	((secret or private) adj1 key) with (public adj1 key) with ((hash\$3 or authenticat\$3 or verification or verifying) adj1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:14
S40	103	S39 and @ad< "20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:35
S41	2043	(send\$3 or transmit\$4) with ((hash\$3 or authenticat\$3 or verification or verifying) adj1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57
S42	8	(send\$3 or transmit\$4) with ((hash\$3 or authenticat\$3 or verification or verifying) adj1 code) with (secur\$2 or encrypt\$2) with (path or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57
S43	4	S42 and @ad< "20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57
S44	4	"4200770".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 09:53

S45	8618	(709/227-228.ccls. or 380/255,277,283.ccls. or 713/150,168-171.ccls.) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:15
S46	1779	S45 and (first or primary or open or unsecue\$1) with (channel or path or route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S47	1300	S46 and (second\$3 or auxiliary or confidential or alternat\$3 or secur\$2) with (channel or path or route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S48	234	S47 and (compar\$3 or verify \$3 or verification) with (mac or code or hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S49	154	S48 and ((secret or private) adj1 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:28
S50	40	((secret) adj1 key) with (public adj1 key) with ((hash \$3 or authenticat\$3 or verification or verifying) adj1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:17
S51	18	S50 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:15
S52	27	((secret or symmetric) adj1 key) with (public adj1 key) with ((hash\$3 or authenticat \$3 or verification or verifying) adj1 code) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:29
S53	60	(authenticat\$2 adj1 (path or channel)) and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:30

S54	8618	(709/227-228.ccls. or 380/255,277,283.ccls. or 713/150,168-171.ccls.) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:14
S55	315	S54 and (authenticat\$2 with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:14
S56	49	S55 and ((nonsecur\$2 or open) with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:22
S57	28	S55 and (man with middle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:22
S58	33314	((second or unsecur\$2) adj1 channel) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:01
S59	24500	S58 and ((first or secur\$2) adj1 channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:02
S60	441	S59 and (send\$3 or transmit \$4) with (key or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:03
S61	44	S60 and (public adj1 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:05
S62	9268	(709/227-228.ccls. or 380/33,255,277,283.ccls. or 713/150,168-171.ccls.) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:12

S63	180	380/33.ccls. and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:12
S64	11	S63 and diffie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:12
S65	1749	diffie adj2 hellman and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:22
S66	1310	S65 and authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:22
S67	394	S62 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:23
S68	6	S67 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:23
S69	9	S59 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:34
S70	29	S63 and (secur\$2 or authentica\$2) with (channel or link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/29 17:41
S71	2224	(authentica\$2) with (channel or link) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:16

S72	9268	(709/227-228.ccls. or 380/33,255,277,283.ccls. or 713/150,168-171.ccls.) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:17
S73	403	S72 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:17
S74	54	S73 and (open or nonsecur \$2) with (channel or link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:17
S75	240	S71 and diffie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/30 09:21

8/ 6/ 2009 12:28:18 PM

C:\ Documents and Settings\ ppich\ My Documents\ EAST\ Workspaces\ 10677642.wsp